

		Habitats and areas		Habitat disti	nctiveness	Habitat	condition		Ecological connectivi	ity	Strateg	c significance		Suggested action to address	Ecolog basel
Ref	Broad Habitat	Habitat type	Area (hectares)	Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	habitat losses	Total h
1	Cropland	Cropland - Cereal crops		Low	2	N/A - Agricultural	1	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness or better habitat required	
2	Grassland	Grassland - Modified grassland		Low	2	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness or better habitat required	
3	Heathland and shrub	Heathland and shrub - Mixed scrub		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required	
4	Urban	Urban - Developed land; sealed surface		V.Low	0	N/A - Other	0	N/A	Assessment not appropriate	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Compensation Not Required	
5	Urban	Urban - Built linear features		V.Low	0	N/A - Other	0	N/A	Assessment not appropriate	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Compensation Not Required	
6	Woodland and forest	Woodland and forest - Lowland mixed deciduous woodland		High	6	Moderate	2	medium	Moderately connected habitat	1.1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same habitat required	
7	Woodland and forest	Woodland and forest - Other coniferous woodland		Low	2	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness or better habitat required	

		R	etention cat	egory biodi	versity value			Bespoke compensation	Comr	nents
Area retained	Area enhanced	Area succession	Baseline units retained	Baseline units enhanced	Baseline units succession	Area lost	Units lost	agreed for unacceptable losses	Assessor comments	Reviewer comments
			0.00	0.00	0.00					
			0.00	0.00	0.00					
			0.00	0.00	0.00					
			0.00	0.00	0.00					
			0.00	0.00	0.00					
			0.00	0.00	0.00					
			0.00	0.00	0.00					

to_Abstraction_and_Discharg	e_Route_3_No_Sites_Habitat
A-2 Site Habitat Creation	
Condense / Show Columns	Condense / Show Rows
Main Menu	Instructions

						Post deve	elopment/ post intervent	ion habitats										
							Ecological connectivity		Strategic sign	ficance		Temporal r	nultiplier	Difficulty i	nultipliers		Co	mments
Proposed habitat	Area (hectares)	Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	Time to target condition/years	Time to target multiplier	Difficulty of creation category	Difficulty of creation multiplier	Habitat units delivered	Assessor comments	Reviewer comments
Cropland - Cereal crops		Low	2	N/A - Agricultural	1	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	1	0.965	Low	1			
Grassland - Modified grassland		Low	2	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10	0.700	Low	1			
Heathland and shrub - Mixed scrub		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	3	0.899	Low	1			
Urban - Developed land; sealed surface		V.Low	0	N/A - Other	0	N/A	Assessment not appropriate	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	0	1.000	Low	1			
Urban - Built linear features		V.Low	0	N/A - Other	0	N/A	Assessment not appropriate	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	0	1.000	Low	1			
Woodland and forest - Lowland mixed deciduous woodland		High	6	Moderate	2	Medium	Moderately connected habitat	1.1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	32+	0.320	High	0.33			
Woodland and forest - Other coniferous woodland		Low	2	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	25	0.410	Low	1			

to_Abstraction_and_Discharge_Route_3_No_Sites_Habitat
B-1 Site Hedge Baseline

Condense / Show Colum

Condense / Show

Main Menu	Instructions

		UK Habitats - existing habitats		Habitat distinctiv	veness	Habitat cond	ition		Ecological connectivity		Strategic signif	ficance		
Baseline ref	Hedge number	Hedgerow type	length KM	Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	Suggested action to address habitat losses
1		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
2		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
3		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
4		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
5		Native Species Rich Hedgerow with trees		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
6		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
7		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
8		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
9		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
10		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
11		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
12		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
13		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
14		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
15		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
16		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
17		Native Species Rich Hedgerow with trees		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
18		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
19		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
20		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
21		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
22		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better
23		Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Like for like or better

	Retention	category bio	odiversity valu	ıe		Comr	nents
Length retained	Length enhanced	Units retained	Units enhanced	Length lost	Units lost	Assessor comments	Reviewer comments
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				
		0	0				

to_Abstraction_and_Discharge_Route_3_No_Sites_Habitat
B-2 Site Hedge Creation

Condense / Show Columns

Condense / Show Row

Ma	Main Menu Instructions									Multipliers			1					
1			Habitat							Spatial quality			Temporal n	nultiplier	D'ffltf			
	Proposed habitats		distinctiveness		Habitat o	condition		Ecological connectivity		Strategic signific	ance			T	Difficulty of creation	Hedge units	Comm	nents
Baseline ref New hedge number	Habitat type	Length km	Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	Time to target condition/years	Time to target multiplier	multiplier	delivered	Assessor comments	Reviewer comments
1	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
2	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
3	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
4	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
5	Native Species Rich Hedgerow with trees		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10	0.700	0.67			
6	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
7	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
8	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
9	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
10	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
11	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
12	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
13	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
14	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
15	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
16	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
17	Native Species Rich Hedgerow with trees		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	10	0.700	0.67			
18	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
19	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
20	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
21	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
22	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			
23	Native Species Rich Hedgerow		Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	5	0.837	0.67			



		Habitats and areas		Habitat distinctive	eness	Habitat con	dition		Ecological connectivity		Strategic signi	ficance			Ecological baseline
seline ref	Broad habitat	Habitat type Graveland - Modified graveland		Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	Suggested action to address habitat losses	Total habitat units
1	Grassland	Grassland - Modified grassland		Low	2	Poor	1	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same distinctiveness or better habitat required	
2	Heathland and shrub	Heathland and shrub - Mixed scrub		Medium	4	Poor	1	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Same broad habitat or a higher distinctiveness habitat required	

		Re	etention cate	egory biodive	ersity value			Bespoke compensation	Comr	nents
Area retained	Area enhanced	Area succession	Baseline units retained	Baseline units enhanced	Baseline units succession	Area lost	Units lost	agreed for unacceptable losses	Assessor comments	Reviewer comments
	0.7	0.25	0	1.54	0.55					
	0.1		0	0.44	0.00					

to_Abstraction_and_Discharge_Route_3_N D-3 Off Site Habitat Enhancment

						Post developme	nt/ post interve	ention habitats				
	Baseline habitats	·		_				Ecological	Strategic significance	Temporal multiplier	Difficulty	
	baseline nabitats		Change in distinctive	eness and condition				connectivity	Strategie significance	remporar manapirer	multipliers	
					Area ha	Distinctiveness	Condition	Ecological			Difficulty of	

_						Post developmen	nt/ post interve	ention habitats							
	Baseline habitats	=	Change in distinct	iveness and condition				Ecological connectivity	Strategic significance	Temporal multiplier	Difficulty multipliers	Spatial risk multiplier		C	omments
aseline ref	Baseline habitat	Proposed habitat (Pre-Populated but can be overridden)	Distinctiveness change	Condition change	Area ha D	Distinctiveness	Condition	Ecological connectivity score	Strategic significance	Time to target condition/years	Difficulty of enhancement category	t Spatial risk category	Habitat units delivered	Assessor comments	Reviewer comments
1	Grassland - Modified grassland	Grassland - Other neutral grassland	Low - Medium	Lower Distinctiveness Habitat - Moderate		Medium	Moderate	Low	Location ecologically desirable but not in local strategy	10	Low	Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss			
2	Heathland and shrub - Mixed scrub	Heathland and shrub - Mixed scrub	Medium - Medium	Poor - Moderate		Medium	Moderate	Low	Location ecologically desirable but not in local strategy	5	Low	Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss			
														_	

		traction_and_Discharge_Route_3_Not Habitat Succession v Columns														
	Main M	Menu Instructions	Instructions Post development/ post intervention habitats													
		Baseline habitats		Change in distinctiv	ctiveness and condition Area h: Condition change			Condition	Ecological connectivity	Strategic significance	Temporal multiplier	Difficulty multipliers	Spatial risk multiplier	Habitat units delivered	Comments	
Basel	line ref	Baseline habitat	Proposed habitat	Distinctiveness change			Distinctiveness		Ecological connectivity score	Strategic significance	Time to target condition/years	Difficulty of creation category	Spatial risk category		Assessor comments	Reviewer comments
	1	Grassland - Modified grassland	Woodland and forest - Lowland mixed deciduous woodland	Low - High	Lower Distinctiveness Habitat - Good		High	Good	Medium	Location ecologically desirable but not in local strategy	32+	High	Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss			

E-2		action_and_Discharge_Route_3_No_Sites_Habitat Hedge Creation																			
		/ Show Columns Condense / Show Rows sin Menu Instructions																			
		Proposed habitats					Ecological connectivity		y	Strategic significance			Spatial risk multiplier	Temporal multiplier		Difficulty multiplier		Hedge units	Comments		
Base	ne New hedge number	Habitat type Length km	Distinctiveness	Score	Condition	Score	Ecological connectivity	Connectivity	Connectivity multiplier	Strategic significance	Strategic significance	Strategic position multiplier	Spatial risk category	Spatial risk multiplier	Time to target condition/years	Time to target multiplier	Difficulty of I creation category	creation	delivered	Assessor comments	Reviewer comments
1	1	Native Species Rich Hedgerow	Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss	1	5	0.837	Medium	0.67			
2	2	Native Species Rich Hedgerow with trees	Medium	4	Moderate	2	Low	Unconnected habitat	1	Location ecologically desirable but not in local strategy	Medium strategic significance	1.1	Compensation inside LPA or NCA, or deemed to be sufficiently local, to site of biodiversity loss	1	10	0.700	Medium	0.67			